## APA Group

APA AM (Allgas) Pty Limited

31 March 2016

Ms Kate Reid Australian Energy Market Commission PO Box A2449 Sydney South NSW 1235

ACN 154 737 407

HSBC Building
Level 1.9

580 George Street
Sydney NSW 2000
PO Box R41
Royal Exchange NSW 1225
P: 61 2 9693 0000
F: 61 2 9693 0093

www.apa.com.au

Dear Kate

## AEMC reference: GRC0036

Energy Council in relation to the harmonisation of the gas day start time in the east coast gas markets. Allgas Energy (Allgas) appreciates the opportunity to provide comment on the rule change proposal lodged by COAG

Allgas makes the following comments in response to the AEMC Consultation Paper questions

## Responses to AEMC Questions

## Question 5 Implementation costs of the proposed solution

- required to business': (a) If the STTM and GSH gas days are amended to start at 6am EST, what changes would be
- (i) infrastructure and IT systems;
- (ii) procedures and processes; and
- (iii) contractual arrangements?

What is the estimated cost of making these changes and who will bear that cost?

- (b) Would the proposed gas day start time have an ongoing business cost? What is the estimate of this cost and who will bear that cost?
- bear these costs? outside of these facilitated markets? What are these impacts and their estimated costs? Who will (c) Would the proposed change to the STTM and GSH gas day impact on businesses that are
- the day that the new gas day start time would commence? (d) What is an appropriate method to manage transitional arrangements leading up to, and on,
- implementation and market readiness? and market participants is there a need for a market institution to provide oversight of (e) Given the level of liaison and cooperation that will be required between pipelines, shippers

reprogramming interval meter in Queensland, including those outside of the STTM. In Qld the Network Operator is also responsible Implementation of the change of gas day start time will require Allgas to reprogram every large volume customer for the custody transfer meters at each sub-network gate station and flow computers will also require

weeks to complete the reprogramming. There are some 110 sites in Qld. It is anticipated that this task would take approximately 4 Much of this work cannot be performed remotely and most sites will require a site visit by technicians to complete

reports will be required. In addition, the reconfiguration of meter data reporting systems and the testing of data processing and market

Some minor work in contract renegotiation may be required

There would be no significant additional ongoing costs to Allgas. The estimated total one-off cost to Allgas is in the order of \$50,000. There are no direct benefits to the network.

either. It is not clear if the transition arrangements put in place will generate additional costs. meter data reporting perspective and it is not expected that AEMO's market systems could manage such a scenario reporting on different gas day start times. This would be very difficult for the Network Operator to manage from a Therefore, during the transition period while the work is performed, different interval meter sites would be It is not possible either to reprogram all interval meters in advance in order to be 'switched on' on a cut-over date day. Due to the time consuming nature of the process, the work will need to be staged across a number of weeks. clean transition can be achieved as all interval meters cannot be physically visited and reprogrammed on the same Transition to a new gas day start time across SA, Qld and NSW will be problematic. It is difficult to envisage how a

Allgas expects that AEMO would need to co-ordinate the transition process.

Question 6 Implementation timeframe

What is an appropriate period for implementation to occur? (a) If the proposed rule is made, what are the necessary steps to implement it?

timeframe would need to be confirmed, and would be dependent on scheduling within the overall IT implement the change. A 12 month lead time before the go-live date would be required. An implementation If the proposal were to proceed, Allgas would need to establish a national project to scope, plan, resource and implementation program

Yours sincerely

Rick Abbott

Strategic Development Associate

APA Group

Email: rick.abbott@apa.com.au